

# Sunsail 38

## STANDARD BOAT EQUIPMENT LIST - SUNSAIL UPGRADES ON FINAL PAGE\*

### HULL & DECK

Prisma Process® injected deck, ISO gelcoat surface, discontinuous balsa block coring  
 Solid, hand-laid fibreglass, ISO gelcoat surface, protective barrier coat  
 Inner fibreglass grid, high-load zones, cut out drainage system through structure  
 Anchor locker  
 Open bow pulpit in GRP  
 Stern pushpits in stainless steel with flag holder, buoy bracket  
 Outboard engine bracket mounted on stern  
 Anchor roller - single stainless steel fitting  
 Double stainless steel uncoated lifelines on starboard and port  
 Toerail and drainage for side deck  
 6 x Aluminium mooring cleats - 2 aft, 2 midship & 2 forward  
 Handrails on coachroof in solid wood  
 4 x Fixed hull ports  
 2 x Opening cockpit and roof ports  
 6 x Lateral fixed windows  
 2 x Opening ports integrated into lateral windows  
 4 x Opening deck hatches  
 Combination shade/insect screens for deck hatches

### COCKPIT

Wood inlay on cockpit bench seating  
 Cockpit locker under bench seat and lazarette locker under port helm seat  
 Liferaft locker (90x59x34cm / 35x23x13in) between helm seats  
 Storage compartment for companionway door in cockpit locker  
 Fold down swim platform with swim ladder  
 Large GRP cockpit table  
 Gas locker in lazarette under starboard helm seat, solenoid cut-off valve under stove in the galley  
 Dual steering stations. 2 x steering wheels, stainless steel handrail, compass mounted at each helm  
 Emergency tiller fitting in cockpit floor  
 Throttle and engine control panel installed at starboard helm, engine panel includes, RPM gauge, warning lights, ignition  
 Retractable cold water shower with tap\*

### ENGINE AND STEERING

Yanmar 3YM20 20HP, 21kw Sail Drive\*  
 Fixed 3-blade propeller  
 Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin  
 Fuel/Water separator  
 Built-in muffler, forced air ventilation and stainless steel exhaust fitting aft  
 Fibreglass rudder

### SAILS & HANDLING

Upgrade mainsail\*  
 Upgrade furling genoa\*  
 Harken mainsail traveller with ball-bearing cars and control lines lead aft to cockpit  
 Genoa tracks on on side decks with adjustable lead cars  
 Spinlock line jammers on both sides of coachroof with return blocks  
 2 x *Harken 46.2ST* self-tailing genoa winches  
 1 x *Harken 35.2ST* self-tailing halyard winch  
 1 x *Harken 35.2ST* self-tailing halyard winch for spinnaker  
 1 x *Harken* winch handle with ball-bearing grip  
 2 x reefing lines  
 Mainsheet and genoa sheet lead to helm station with Spinlock jammers

### MAST & RIGGING

Classic anodized aluminium mast & boom with double spreaders  
 Standing rigging discontinuous 1x19 stainless steel wire  
 Double backstay  
 Genoa furler with double slot, attached to stemhead fitting  
 furling line lead aft to port helm winch  
 Running rigging polyester topping lift, main halyard, genoa halyard, mainsheet, genoa sheets, reefing lines  
 Rigid boom vang with gas cylinder and control line lead aft to the cockpit  
 Heavy duty lazy jacks and stack pack system\*

### WATER SYSTEM

Roto moulded water tank 200L / 87USgal under the forward berth with deck fill\*  
 Hot and cold water distributed throughout the boat via semi-rigid hose  
 "Heavy-duty" water pump and accumulator tank for consistent water pressure  
 1 x 25L / 7USgal hot water tank connected to engine heat exchanger and to 110v electrical system\*  
 Chrome shower faucets in washrooms  
 Electrical bilge pump on float switch and manual dual-action pump in cockpit  
 Digital water level display  
 Shower pumps equipped with individual electric pumps with filters and on-off switches  
 Manual marine toilets with large bowl\*  
 21USgal / 80L Roto moulded holding tank in head compartment  
 Pump filter and exhaust

# Sunsail 38

## STANDARD BOAT EQUIPMENT LIST

### **ELECTRICAL SYSTEM**

110v circuit-shore power, outlets, distributor - Shore power cable wired direct  
 12 x 110v cabin outlets  
 12v / 125Ah alternator output\*  
 Charge distributor/isolator  
 1 x 80Ah engine start battery, located under aft berth\*  
 1 x 80Ah house battery bank, located under aft berth\*  
 Positive battery switch for engine and house bank in aft cabin  
 Electric panel with 12v breakers, 110v breakers, 12v consumption meter, 12v charging meter  
 12v plug per cabin and at nav station

### **INTERIOR**

Finished in Fine Teak laminate panels, trimmed in solid wood protected with UV stabilized varnish  
 Light oak composite floorboards

### **SALOON**

Headroom: 5'11" / 6'4" (1,81m / 1,92m)  
 U-shaped seating area to starboard, wrap-around cushions and storage under seating area  
 Dining table with wood fiddles, removable pedestal legs\*  
 Storage cabinets along hull sides  
 Lounge seating to port with plush cushions and upper storage  
 Companionway with wood steps and non-slip strips  
 Plexiglass companionway door with dedicated storage location  
 Flush mounted LED chromed brass ceiling lights  
 Indirect LED floor lighting in saloon

### **GALLEY**

Headroom: 6'2" / 1,88m  
 L-shaped galley to starboard with glass separator between galley counter and seating area  
 Storage compartment for books and magazines built into the galley façade  
 Double stainless steel sinks with covers, solid countertops, chrome plumbing fittings, storage cabinets and drawers  
 ENO 2-burner stove with black finish, wood handle, stainless steel oven/broiler  
 12v refrigeration in single fridge box (180L / 47USgal) with freezer area and wire baskets

### **NAVIGATION CONSOLE**

Navigation station full function with general electrical panel and bookshelf  
 Hanging locker

### **FORWARD CABIN**

Max headroom: 6' / 1,84m  
 Double central berth with high-density foam Marine mattress  
 Deep cabinet with shelves and hanging rod  
 Leather-wrapped LED reading lights  
 White vinyl lining on hull with lateral wood shelf  
 1 x Opening deck hatch, for light and ventilation  
 Flush mounted LED chromed brass ceiling lights

### **AFT CABIN**

Headroom: 6'3" / 1,90m  
 Double berth with high-density foam Marine mattress  
 Deep cabinet with shelves and hanging rod  
 White vinyl lining on hull with lateral wood shelf  
 2 x Opening hatches  
 Leather-wrapped LED reading lights  
 Flush mounted LED chromed brass ceiling lights  
 Locker and Technical compartment:  
 - Access from cockpit and head  
 - 2 x Storage baskets  
 - Lights

### **HEAD**

Single sink  
 Clothes hook  
 Towel holder  
 Toilet paper holder  
 Cabinet above sink with mirror  
 Stainless steel hanging bar  
 Electric shower sump pump  
 Marine toilet with electric pump\*  
 PMMA shower screen  
 Flush mounted LED chromed brass ceiling lights

# Sunsail 38

## EXTRA CHARTER YACHT EQUIPMENT LIST

### HULL & DECK

Shoal keel  
Bimini and dodger  
Sunsail striping and graphics  
Electric windlass *Quick1000* with remote control

### SAILS & HANDLING

Heavy duty mainsail  
Heavy duty furling genoa with Sunsail red UV protection

### MAST & RIGGING

ProFurl furling system instead of standard  
Stackpack lazyJack system in Sunsail blue with logo

### WATER SYSTEM

Extra fresh water tank 130L / 34USgal under aft starboard berth  
Hot & cold shower in cockpit  
Large bowl Quiet Flush electric heads (toilet)  
40L /10USgal hot water heater connected to engine heat exchanger and 110v electrical system

### ELECTRICAL SYSTEM

LED lights throughout  
2 x 70amp Gel batteries in addition to the 2 standard  
60amp battery charger  
Radio/CD/MP3  
2 x interior speakers  
2 x cockpit speakers  
Alternator 125Ah

### NAVIGATION CONSOLE

Raymarine TriData depth, speed and wind  
Raymarine chartplotter E95 in cockpit  
2 x Raymarine multifunction displays I70  
B&G hydraulic linear autopilot  
B&G V50 VHF radio

### INTERIOR

Saloon table converts to double berth  
Fans in all cabins and saloon

### GENERAL SPECIFICATIONS

Length Overall: 38ft 6in / 11.75m  
Waterline Length: 36ft / 10.98m  
Beam: 12ft 4in / 3.76m  
Draft: 4ft 11in / 1.50m  
Displacement: 14,771lb / 6,700kg  
Fuel Capacity: 34USgal / 130L  
Water Capacity: 87USgal / 330L  
Sail Area: 754ft<sup>2</sup> / 70m<sup>2</sup>  
Engines: 29HP Yanmar  
Berths: 4 + 2  
Heads: 1

### ENGINE

Yanmar 3YM30 29HP instead of standard 20HP

### SAFETY GEAR

Primary and secondary anchors  
6 x Fenders  
4 x Mooring lines  
2 x Spring Lines  
6 x Life Jackets  
Safety Harnesses  
Bell  
Flare Kit  
Binoculars  
Navigation tools: Parallel Rule, Compass, Dividers

### CRUISING GEAR

Plates, cups, saucers, glasses for six (6)  
Bed Linens for six (6)  
Flatware for six (6)  
Pots, pans, miscellaneous food prep  
Cooking utensils  
Coffee pot, tea kettle, toaster  
Snorkeling gear for six (6)  
Towels and washcloths for six (6)



*The Builder reserves the right to change or amend the contents of this document at any time without prior notification to any third party and no liability will be accepted for errors contained within the same.*